Message

From: Nickerson, Jay [Jay.Nickerson@dep.nj.gov]

Sent: 7/11/2018 6:25:58 PM

To: Salkie, Diane [Salkie.Diane@epa.gov]

Subject: RE: LPR RM 17 - technical consultation question

thanks

From: Salkie, Diane [mailto:Salkie.Diane@epa.gov]

Sent: Wednesday, July 11, 2018 2:25 PM

To: Nickerson, Jay <Jay.Nickerson@dep.nj.gov>

Cc: Hayton, Anne <Anne.Hayton@dep.nj.gov>; Cinque, Anthony <Anthony.Cinque@dep.nj.gov>; Ramirez, Myla

<Myla.Ramirez@dep.nj.gov>

Subject: RE: LPR RM 17 - technical consultation question

Hi Jay

I am ok with John and John talking, however, I would like Ed and James of HDR on that call as well.

Thanks,

Diane Salkie

US EPA Emergency & Remediation Response Division Passaic/Hackensack/Newark Bay Remediation Branch salkie.diane@epa.gov 212-637-4370

From: Nickerson, Jay [mailto:Jay.Nickerson@dep.nj.gov]

Sent: Wednesday, July 11, 2018 12:58 PM **To:** Salkie, Diane <<u>Salkie.Diane@epa.gov</u>>

Cc: Anne Hayton <<u>Anne.hayton@dep.nj.gov</u>>; Cinque, Anthony <<u>Anthony.Cinque@dep.nj.gov</u>>; Ramirez, Myla

<Myla.Ramirez@dep.nj.gov>

Subject: LPR RM 17 - technical consultation question

Diane

John Wolfe would like to check on a few points with John Kern regarding the modeling. The topic is SWAC predictions based on slides 61 and 76 of the USEPA R2's Presentation to CSTAG, Feb 28., 2018.

Question: Is it possible for John Wolfe to confer directly with John Kern for this purpose? After they confer, we (all) can arrange a conference call with John Wolfe, shortly thereafter, on either Thurs. Fri, or early next week. John Wolfe has indicated that he is available, near term.

Jay Nickerson Bureau of Case Management, Site Remediation and Waste Management Program, NJDEP Mail Code 401-05F P.O. Box 420 Trenton, NJ 08625-0420 609-633-1448 Jay.nickerson@dep.nj.gov